



CONSERVATION COMMISSION AGENDA

Thursday, November 3, 2016 ~ 7 pm ~ Lower Conference Room, Bourne Town Hall

7:00) Requests for Determination of Applicability:

- 1) **Applicant:** Lawrence J. Murphy **File Number:** CC16-65
Representative: Same
Project Address: 11 Red Brook Pond Drive, Cataumet
Proposed Project: Install a new shed within an AE flood zone and within 100 feet of a Wetland Resource Area

- 2) **Applicant:** Peter Foley **File Number:** CC16-66
Representative: P. Valeri, Construction
Project Address: 17 Robin Lane, Pocasset
Proposed Project: Replace a leaching field within an AE flood zone
(Hearing Under State Act Only)

- 3) **Applicant:** Colonial Gas Company **File Number:** CC16-67
Representative: Tighe & Bond
Project Address: 67 Tahanto Road, Pocasset
Proposed Project: Install a gas service connection within an AE flood zone, 100 feet of a Wetland Resource Area and Riverfront Area

- 4) **Applicant:** Colonial Gas Company **File Number:** CC16-68
Representative: Tighe & Bond
Project Address: 143 Shore Road, Bourne
Proposed Project: Install a gas service line within an AE flood zone and within 100 feet of a Wetland Resource Area

TOWN CLERK BOURNE

2016 NOV - 1 PM 12:28

RECEIVED

- 5) **Applicant:** Lavinia Giardina **File Number:** CC16-69
Representative: Mahoney & Douglas, LTD
Project Address: 153 Captains Row, Mashnee Island
Proposed Project: Remove an unground storage tank within a V flood zone and within 100 feet of a Wetland Resource Area

Notice of Intent:

- 1) **Applicant:** Matthew Monroe **DEP File Number:** SE7-1959
Representative: Grady Consulting, LLC
Project Address: 895 Sandwich Road, Bourne
Proposed Project: Perform septic repair within 100 feet of a Wetland Resource Area
- 2) **Applicant:** Mark A. Leary **DEP File Number:**
Representative: Bracken Engineering, Inc.
Project Address: 63 Bellavista Drive, Pocasset
Proposed Project: Raze the existing dwelling, construct a new single-family home, and install a new septic system, within an AE flood zone and within 100 feet of a Wetland Resource Area
- 3) **Applicant:** David C. Warner **DEP File Number:**
Representative: Warwick and Associates, Inc.
Project Address: 276 Scraggy Neck Road, Cataumet
Proposed Project: Restore a 25' vegetated buffer along the top of a seawall within a V flood zone and within 100 feet of a Wetland Resource Area
- 4) **Applicant:** Marine Renewable Energy Collaborative of New England, Inc.
DEP File Number: SE7-1956
Representative: Barrett Energy Resources Group
Project Address: Cape Cod Canal, adjacent to 40 Academy Drive
Proposed Project: Installation of two pilings and a supporting platform in the Cape Cod Canal for the purposes of testing a tidal energy device.
(Continued from October 20th)

Request for Certificate of Compliance:

1) **Applicant:** Richard & Janis Shephard **DEP File Number:** SE7-1891
 Representative: Bracken Engineering, Inc.
 Project Address: 14 Cannonicus Avenue, Pocasset
 Proposed Project: Install an upgraded mounded septic system to service the existing dwelling within
 AE floodzone.

2) **Applicant:** Lavinia Giardina **DEP File Number:** SE7-1349
 Representative: Same
 Project Address: 153 Captains Row, Mashnee Island
 Proposed Project: Installation and maintenance of a new Title 5 sewage disposal system within an A
 flood zone and within 100 feet of a Wetland Resource Area.

Other Business:

- ▶ Vote – Excuse Absent Members, if necessary

- ▶ Acceptance of Previous Meeting Minutes

- ▶ Report of the Conservation Agent
 - ▶ Update on Bourne Rotary Gas Spill Restoration
 - ▶ Correspondence

- ▶ Questions and Answers re: MGL Chapter 131 §40 and 310 CMR 10.00-10.99

- ▶ Questions and Answers re: Town of Bourne Wetland Protection Bylaw (Article 3.7) and BWR 1.00-1.16