


TOWN OF BOURNE Board of Assessors 24 Perry Avenue Buzzards Bay, MA 02532 (508) 759-0600 Ext. 1510 \$ Fax (508) 759-8026



Rui Pereira, MAA Director of Assessing

Michael Leitzel, Chairperson Ellen Doyle Sullivan, Clerk Donna Barakauskas, Member

January 10, 2023

The Long Point Trust c/o Bracken Engineering, Inc. 49 Herring Pond Rd. Buzzards Bay, MA 0255932

Re: Abutters List for Map 51 Parcel 1 Property address: 176 Scraggy Neck Road

As required by the Bourne Board of Health, pursuant with section 310 CMR 15.411(1), this is to certify that the attached list of names and addresses constitutes all of the parties in interest as shown on the most recent tax list of the Town of Bourne.

Abutting properties are: Map 47 Parcel 45; Map 51.1 Parcels 1 & 3.

Your payment of \$10.00 has been received by the Bourne Assessor's Office.

Please be advised that this abutters list is only good for 30 days from the date on this letter. Expired abutters list can be recertified for an additional filing fee.

See enclosed for abutters mailing addresses.

Board of Assessors

Sum Jun Sin -Danna Barukawakka Micha Doorf

Extract: Database: Filter: Sort:	ABUTTERS LIST LIVE Key IN 14473,10762,10763	Report #24: Owner Listing Report Fiscal Year 2023	Bourne MA
Key Parcel ID	Owner	Location LCt/Cl Bk-Pg(Cert) /Dt Mailing Street Mailing City	ST Zip Cd/County
14473 47.0-45-0	BISSON STEPHEN & MARYBETH TRS OF LONG POINT TRUST	178-180 SCRAGGY NECK RD N 22554/257 PO BOX 10 CATAUMET 1090 12/19/2007	MA 02534
10762 51,1-1-0	KEENE HENRY R SR & JANE A KEENE	0 WINSOR RD N 01220/0396 74 MARTIN BATES ST DEDHAM 1320	MA 02026-4118
10763 51.1-3-0	GALLIGAN MARYFRANCES B TR GALLIGAN BEACH NOM TR	170 SCRAGGY NECK RD Y 4 LAUREL TERRACE WELLESLEY HILLS 1010 7/13/2000	MA 02481

Total Records

3

MAIN OFFICE: 49 Herring Pond Road Buzzards Bay, MA 02532 TEL: (508) 833-0070 FAX: (508) 833-2282



NANTUCKET OFFICE: 19 Old South Road Nantucket, MA 02554 TEL: (508) 325-0044 www.brackeneng.com

January 12, 2023

## **Certificate of Mailing**

RE: Notice of Public Hearing

Dear Abutter:

In accordance with the Town of Bourne Board of Health Regulations, you are hereby notified that <u>The</u> <u>Long Point Trust, Stephen & Marybeth Bisson, Trustees</u> have requested a hearing before the Bourne Board of Health for relief from the Bourne Board of Health Regulations for the installation of an upgraded Septic System. The location of the property for which approval is sought is <u>176 Scraggy Neck</u> <u>Road (Map 51, Parcel 1 (Lot 2)), Cataumet</u> where you are listed as an abutter. At said hearing the Board will discuss and possibly vote on:

The following variances requested from the 150-foot setback to the proposed Soil Absorption System (SAS) and Reserve Area (RA):

- SAS to the Salt Marsh southwest from 150' to 138' (12' variance)
- SAS to the Salt Marsh northeast from 150' to 101' (49' variance)
- SAS to Coastal Bank southwest from 150' to 66' (84' variance)
- SAS to Coastal Bank northeast from 150' to 57' (93' variance)
- RA to the Salt Marsh to the south from 150' to 126' (24' variance)
- RA to the Salt Marsh to the northeast from 150' to 112' (38' variance)
- RA to Coastal Bank southwest from 150' to 51' (99' variance)
- RA to Coastal Bank northwest from 150' to 64' (86' variance)

This hearing is <u>tentatively</u> scheduled for Wednesday, January 25th at <u>5:30 p.m.</u>in Conference Room #2 at the Bourne Veteran's Memorial Community Building, 239 Main Street, Buzzards Bay. Information regarding the hearing may be available for your review one week prior to the meeting by contacting the Bourne Health Department at 508-790-0600, Ext. 1513, Monday through Friday from 8:30 a.m. until 4:30 p.m.

Meeting agendas are posted on the Town of Bourne website, <u>www.townofbourne.com/health</u> no less than 48 hours in advance of the hearing. *Please confirm the date, time, and location of the meeting with the Town, in case of any changes*. Should you have any questions or concerns, please do not hesitate to contact the undersigned at <u>don@brackeneng.com</u> or the Bourne Health Department at 508-790-0600, Ext. 1513.

Sincerely, BRACKEN ENGINEERING INC.

Dould Blas

Donald F. Bracken, Jr., PE President Agent for the Applicant

